

U2-OS-Luc Tet-On® Control Cell Line

Amount

Each

Catalog No.	
631123 (Not sold separately)	

Lot Number Specified on product label.

Description

U2-OS-Luc Tet-On is a human osteosarcoma-derived cell line that can be used as a control with all Tet-On systems (1) and cell lines. This clone: (i) expresses the tetracycline-regulated transactivator Tet-On, and (ii) contains a stably integrated copy of the firefly luciferase gene under the control of a tetracycline-responsive promoter. Expression of luciferase is induced by the addition of doxycycline (Dox) to the culture medium.

Package Contents

• 1 ml U2-OS-Luc Tet-On Control Cell Line (2 x 10⁶ cells/tube)

Storage Conditions

• Liquid nitrogen vapor phase

Shelf Life

• 1 year from date of receipt under proper storage conditions.

Storage Medium

• 70% Tet System Approved FBS, 20% alpha-MEM, and 10% DMSO

Shipping Conditions

• Dry ice $(-70^{\circ}C)$

Product Documents

Documents for Clontech products are available for download at <u>www.clontech.com/manuals</u> The following documents apply to this product:

- Tet-Off® and Tet-On Gene Expression Systems User Manual (PT3001-1)
- Tet Cell Lines Protocol-at-a-Glance (PT3001-2)

Cell Type Information

U2-OS-Luc Tet-On is a human osteosarcoma-derived cell line stably transfected with pTRE-Tight-Luc and linear pHyg. This cell line is both G418 and hygromycin resistant.

Recommended Cell Culture Medium

Grow the cells in 90% Dulbecco's Modified Eagle's Medium (DMEM) high glucose (4.5 g/L), 10% Tet System Approved Fetal Bovine Serum (FBS), 4 mM L-glutamine, 100 units/ml penicillin (optional), 100 µg/ml streptomycin (optional), 200 µg/ml G418, and 100 µg/ml hygromycin, in the presence of 5% CO₂.

Certificate of Analysis

U2-OS-Luc Tet-On® Control Cell Line (Not sold separately)

References

1. Gossen, M. & Bujard, H. (1992) Proc. Natl. Acad. Sci. USA 89(12):5547-5551.

Quality Control Data

Functional Test

Luciferase activity in the presence and absence of 1 μ g/ml doxycycline (Cat. No. 631311) was measured after 48 hr. Induction was found to be at least 300-fold when cells were grown in medium containing Clontech's Tet System Approved FBS.

Mycoplasma Contamination Test

This lot of cells has been tested and found to be free of mycoplasma contamination.



U2-OS-Luc Tet-On® Control Cell Line

CATALOG NO.

631123

NOTICE TO PURCHASER:

Clontech products are to be used for research purposes only. They may not be used for any other purpose, including, but not limited to, use in drugs, in vitro diagnostic purposes, therapeutics, or in humans. Clontech products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products or to provide a service to third parties without prior written approval of Clontech Laboratories, Inc.

Your use of this product is also subject to compliance with the licensing requirements listed below and described on the product's web page at <u>http://www.clontech.com</u>. It is your responsibility to review, understand and adhere to any restrictions imposed by these statements.

TRADEMARKS:

Clontech, the Clontech logo, Tet-Off, and Tet-On are trademarks of Clontech Laboratories, Inc.

All other marks are the property of their respective owners. Certain trademarks may not be registered in all jurisdictions. Clontech is a Takara Bio Company. ©2014 Clontech Laboratories, Inc. This document has been reviewed and approved by the Clontech Quality Assurance Department.

Clontech Laboratories, In	IC.				
A Takara Bio Company					
1290 Terra Bella Avenue, Mountain View, CA 94043, USA					
U.S. Technical Support: tech	10/8/2014				
United States/Canada	Asia Pacific	Europe	Japan		
800.662.2566	+1.650.919.7300	+33.(0)1.3904.6880	+81.(0)77.543.6116		