#### pRetroX-IRES-ZsGreen1 Vector Information



pRetroX-IRES-ZsGreen1 Vector Map and Multiple Cloning Site (MCS).

## Description

pRetroX-IRES-ZsGreen1 is a bicistronic, fluorescent, retroviral vector that allows both a gene of interest and the ZsGreen1 gene to be translated from a single bicistronic mRNA. pRetroX-IRES-ZsGreen1 is designed for efficient delivery and selection (by flow cytometry or other methods) of stably transduced mammalian cells expressing the ZsGreen1 fluorescent protein and the protein of interest. This vector can be used to obtain stable cell lines without time-consuming drug and clonal selection. ZsGreen1 is derived from the reef coral *Zoanthus sp.* green fluorescent protein (ZsGreen) and is easily detected with standard FITC filter sets (1).

Bicistronic expression from this vector is facilitated by the encephalomyocarditis virus (EMCV) internal ribosome entry site (IRES). This IRES facilitates cap-independent translation from an internal start site at the IRES/ZsGreen1 junction (2). ZsGreen1 is a human codon optimized ZsGreen variant that encodes the brightest commercially available green fluorescent protein (1). This retroviral vector is derived from the pMIN series of vectors (3, 4). These optimized vectors have the ability to produce high viral titers, express genes at high levels, and, due to the absence of retroviral coding sequences, exhibit improved safety profiles. The multiple cloning site (MCS) in pRetroX-IRES-ZsGreen1 is between the 5' MMLV LTR and the IRES sequence. Genes cloned into the MCS are expressed as a bicistronic message transcribed from the 5' LTR.

pRetroX-IRES-ZsGreen1 contains all of the necessary viral RNA processing elements; these include the 5' and 3' LTRs, the packaging signal ( $\psi$ ), and the tRNA primer-binding site. For safety reasons, however, the vector lacks the structural genes (*gag*, *pol*, and *env*) necessary for retroviral particle formation and replication. pRetroX-IRES-ZsGreen1 contains a ColE1 origin of replication, and an *E. coli* Amp<sup>r</sup> gene for propagation and selection in bacteria.

(PR772310; published 12 July 2007)



United States/Canada 800.662.2566 Asia Pacific +1.650.919.7300 Europe +33.(0)1.3904.6880 Japan +81.(0)77.543.6116

Clontech Laboratories, Inc. A Takara Bio Company 1290 Terra Bella Ave. Mountain View, CA 94043 Technical Support (US) E-mail: tech@clontech.com www.clontech.com

# Use

pRetroX-IRES-ZsGreen1 is designed to efficiently deliver and co-express your gene of interest and ZsGreen1 in any mitotically-active mammalian cell. When cloning into pRetroX-IRES-ZsGreen1, your gene of interest should contain an initiation codon (ATG) and a stop codon. The vector can be infected or transfected into mammalian cells. If required, stable transformants can be selected by flow cytometry or limiting dilution.

In order to infect mammalian cells with pRetroX-IRES-ZsGreen1, the vector must be transfected into a packaging cell line, such as the RetroPack<sup>™</sup> PT67 Cell line (631510), AmphoPack<sup>™</sup> -293 (631505), EcoPack<sup>™</sup> 2-293 (631507), Pantropic Expression System (631512), or Retro-X<sup>™</sup> Universal Packaging System (631530). These cell lines package RNA from the vector into infectious, replication-incompetent, retroviral particles. Such retroviral particles can infect target cells and transmit the gene of interest, but cannot replicate within these cells due to the absence of viral structural genes. The separate introduction and integration of the structural genes into the packaging cell line minimizes the chance of producing replication-competent virus due to recombination events during cell proliferation.

# **Location of features**

- 5' MMLV LTR: 1-592
- $\Psi$  (packaging signal): 662-1067
- Splice Donor Site: 650-655
- Intron (containing Splice Acceptor Site): 1075-1308
- Multiple Cloning Site (MCS): 1361-1390
- EMCV IRES: 1392-1966
- Zoanthus sp. green fluorescent protein (ZsGreen1) gene: 1967-2662
- 3' MMLV LTR: 2718-3309
- ColE1 origin of replication: 4162-4281
- Ampicillin resistance gene (β-lactamase): 4489-5346 (complementary)

# Propagation in *E. coli*

- Suitable host strains: DH5α, Fusion Blue, and other general purpose strains.
- Selectable marker: plasmid confers resistance to ampicillin (100 µg/ml) in *E. coli* hosts.
- E. coli replication origin: ColE1
- Copy number: high

## Note:

The viral supernatants produced by this retroviral vector could, depending on your cloned insert, contain potentially hazardous recombinant virus. Due caution must be exercised in the production and handling of recombinant retrovirus. Appropriate NIH, regional, and institutional guidelines apply.

## References

- 1. BD Living Colors pIRES2-ZsGreen1 Vector (January 2005) Clontechniqes XX(1):8.
- 2. Jang, S. K., et al. (1988) J. Virol. 62(8): 2636–2643.
- 3. Yu S.S. et al. (2000) Gene Ther. 7(9); 797-804.
- 4. Lee, J.T. et al. (2004) Gene Ther. 11(1); 94-99.

#### Notice to Purchaser

Clontech products are to be used for research purposes only. They may not be used for any other purpose, including, but not limited to, use in drugs, *in vitro* diagnostic purposes, therapeutics, or in humans. Clontech products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products or to provide a service to third parties without written approval of Clontech Laboratories, Inc.

Living Colors® Products AcGFP1, DsRed, HcRed, AsRed, AmCyan, ZsGreen, ZsYellow and their variants:

Not-For-Profit Entities: Orders may be placed in the normal manner by contacting your local representative or Clontech Customer Service at 650.919.7300. At its discretion, Clontech grants Not-For-Profit Entities a non-exclusive, personal, limited license to use this product for non-commercial life science research use only. Such license specifically excludes the right to sell or otherwise transfer this product, its components or derivatives thereof to third parties. No modifications to the protein coding sequence may be made without express written permission from Clontech. Any other use of this product requires a license from Clontech. For license information, please contact a licensing representative by phone at 650.919.7320 or by e-mail at licensing@clontech.com.

For-Profit Entities wishing to use this product are required to obtain a license from Clontech. For license information, please contact a licensing representative by phone at 650.919.7320 or by e-mail at licensing@clontech.com.

Clontech, Clontech logo and all other trademarks are the property of Clontech Laboratories, Inc. unless noted otherwise. Clontech is a Takara Bio Company. ©2007 Clontech Laboratories, Inc.